

CP-2140



Argox CP-2140 adalah Printer Label yang mendukung pencetakan dalam 2 mode yaitu Direct Thermal (Tanpa ribbon) dan Thermal Transfer (Menggunakan Ribbon). Printer ini sangat cocok digunakan di usaha seperti ritel, jasa pengiriman, supermarket, dan warehouse. Dengan ukuran tempat ribbon hingga 300m, printer ini sangat bisa digunakan untuk aktivitas print yang berat. Ribbon yang didukung printer ini adalah tipe face in dan face out. CP-2140 sangat siap untuk mendukung aktivitas bisnis kalian.

TAMPIAN



DEPAN



ATAS



SAMPING

ARGOX
a SATO company

Barcode Printer

CP-2140

KEUNGGULAN

Kualitas Terbaik

Memiliki kualitas yang dijamin terbaik. Sudah teruji untuk pencetakan dalam jumlah yang banyak

Tahan Lama

Head printer dapat bertahan hingga 2-3 tahun dengan pemakaian yang berat

Ribbon Maksimal

Ribbon yang digunakan maksimal hingga 300 meter

Support 2 Tipe Cetak

Tipe cetak yang disupport yaitu Direct Thermal & Thermal Transfer

General

Model	CP-2140 CP-2140E
Printing Method	Direct Thermal / Thermal Transfer
Printing Resolution	203 dpi(8 dots/mm)
Printing Speed	2~5ips (50.8~127mm/s)
Printing Length	Max 100"(2540mm) Min 0.2"(5mm)
Printing Width	Max 4.1"(104mm)
Memory	8MB DRAM (5MB user available) 4MB Flash ROM (2MB user available)
CPU Type	32 bit RISC microprocessor
Sensors	Media Reflective sensor x 1 (movable) & Media Transmissive sensor x 1 (Center fixed) / Head open switch / Ribbon end sensor
Operation Interface	LED indicator (Power/Ready)x 2, Button(Feed) x 1
Communication Interface	Ethernet, RS-232(Baud rate: 2400~115200 bps), USB
Software - Label editing	Seagull Driver, BarTender
Software – Utility	Printer Utility, Font Utility
Operation Environment	Operation Temperature: 40°F~100°F (4°C~38°C), 10% ~ 90% non-condensing, Storage Temperature: -4°F~122°F (-20°C~50°C)

Electrical**Power Source**

Universal Switching Power
Supply
Input: 100~240V,1.8A,
50-60Hz,
Output: 24VDC, 2.4A

Physical**Dimensions**

L 273 x W 225 x H 186mm

Weight

2.1kg

Ribbon

Media Type	Roll-feed, die-cut, continuous, fan-fold, tags, ticket in
Media	Max Width:4.33"(110mm) Min Width:1"(25.4mm) Thickness:0.0025"~0.01" (0.0635~0.254mm) Max roll capacity(OD):5"(127mm) Core size:1"(25.4mm) / Max roll capacity(OD):4.5"(114.3mm) Core size:0.5"(12.7mm) (optional) / Max roll capacity(OD):4.72"(120mm) Core size:1.5"(38.1mm) (optional) Min Length: 0.79"(20mm) for otary cutter option
Ribbon	Ribbon roll – max OD: 2.6"(67mm) Ribbon Length: max 300m Core size – ID: 1"(25.4mm) Ribbon Width: 1"~4.33", Wax, Wax/ Resin, Resin (Ribbon wound ink- side out or ink-side in)

ARGOX
a **AVATTO** company

Barcode Printer

CP-2140

APLIKASI PRODUK

- Ritel
- Jasa pengiriman
- Supermarket
- Warehouse
- Dan usaha lainnya

Toko

Cafe

Supermarket

Logistik